

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10590741"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:22
S2	0	("2007/0171875").URPN.	USPAT	OR	OFF	2008/09/08 12:33
S3	2	US-1878196-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:36
S4	2	US-1878196-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:37
S5	25	YUKINORI NEAR3 SUDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:03
S6	33417	NEC NEAR3 CORPORATION	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:03
S7	1114	(DETERIORAT\$5 WITH DETECT\$5).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:04
S8	68	(DISTRIBUT\$4 SAME (HAND\$1OVER HANDOVER)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:05

S9	2	S7 AND S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:05
S10	385	(PACKET SAME (HAND \$1OVER HANDOVER)). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:07
S11	1	S7 AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:07
S12	40	S6 AND S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:07
S13	2	S7 AND S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:10
S14	4806	(HAND\$1OVER HANDOVER) and IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:58
S15	43	S14 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:58
S16	20547	(HAND\$1O\$4 HANDO\$4) and IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:59
S17	79	S16 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:59

S18	33	S17 and buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:59
S19	4447	(HAND\$1O\$4 HANDO\$4) same IP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:16
S20	30	S19 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:17
S21	13	S20 and buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:17
S22	7646	(HAND\$1O\$4 HANDO\$4) with (link\$4 tunnel\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:20
S23	82	S22 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:21
S24	27	S23 and buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:21
S25	8879	ipv6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:24
S26	138488	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:24

S27	759	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:24
S28	2	S27 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:24
S29	339006	(buffer\$4 with (packet data information call transmission))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:26
S30	73	S29 same (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:27
S31	14563	((base adj2 station) router node) with (buffer\$4 with (packet data information call transmission))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:28
S32	5	S31 same (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:29
S33	79	S31 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:31
S34	74	S33 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:31
S35	10	((three adj3 party) three \$1party) adj4 (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:40

S36	3180	forward\$5 with buffer\$4 with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:47
S37	10	S36 and (detect\$5 with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:47
S38	1	S36 with deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:48
S39	101	S36 and deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:48
S40	18	S26 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:48
S41	1056	(HAND\$1O\$4 HANDO\$4) same packet same order\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:56
S42	398	S26 and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:56
S43	45	S42 and deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:56
S44	38	S43 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:56

S45	2	(multi\$1party) adj4 (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:17
S46	257	anchor with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:21
S47	46	S26 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:21
S48	10	S46 and deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:24
S49	2	(anchor with buffer\$4 with packet) and deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:34
S50	1	2007-320915.NRAN.	DERWENT	OR	OFF	2008/09/08 15:35
S51	538	((base router station bs node) with buffer\$4 with packet) and deteriorat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:35
S52	25	((base router station bs node) with buffer\$4 with packet) and ((hand\$1o\$4 hando\$4) with deteriorat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:36
S53	0	("2003/0224775").URPN.	USPAT	OR	OFF	2008/09/08 16:15
S54	1962	(HAND\$1O\$4 HANDO\$4) same (home anchor) same (agent node station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:30

S55	1200	(HAND\$1O\$4 HANDO\$4) same ((home anchor) with (agent node (base adj3 station)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:31
S56	470	S26 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:32
S57	229	S56 and (second with station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:32
S58	211	S56 and (second with station) and (first with station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:33
S59	140	S56 and (second with station) and (first with station) and (home with station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:33
S60	57	S56 and (second with station) same (first with station) same (home with station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 17:33
S61	10	US-4926421-\$.DID. OR US-5991287-\$.DID. OR US-111999D-\$.DID. OR US-6216004-\$.DID. OR US-4551442-\$.DID. OR JP-10004380-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 11:40
S62	47	(before with (HAND\$1O\$4 HANDO\$4)) same buffer same station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 14:09
S63	19976	(base adj3 station) with request\$4 with (base adj3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:15

S64	296	(base adj3 station) with request\$4 with buffer\$4 with (base adj3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:16
S65	9	(base adj3 station) with request\$4 with buffer\$4 with ((second other original foreign new) adj3 base adj3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:18
S66	0	(base adj3 station) with request\$4 with buffer\$4 with ((target second other original foreign new) adj3 base adj3 station) with deteriorat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:22
S67	0	(base adj3 station) with request\$4 with buffer\$4 with ((target second other original foreign new) adj3 base adj3 station) same deteriorat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:22
S68	29	(base adj3 station) with request\$4 with ((target second other original foreign new) adj3 base adj3 station) same deteriorat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:24
S69	29	S68 not S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:25
S70	9	((home adj3 agent) (base adj3 station)) with request\$4 with buffer\$4 with ((second other original foreign new) adj3 base adj3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:33
S71	3718	455/436.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:36
S72	67	S71 and ((hand\$1o\$4 hando\$4) with (request\$5 send\$5) with (buffer\$4 queue\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 11:36

S73	26	"5940371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 15:52
S74	464	455/438.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:00
S75	12	S74 and ((hand\$1o\$4 hando\$4) with (request\$5 send\$5) with (buffer\$4 queue\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:01
S76	0	S74 and ((hand\$1o\$4 hando\$4) with (deteriorat \$4) with (buffer\$4 queue \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:03
S77	41	S74 and ((hand\$1o\$4 hando\$4) with (buffer\$4 queue\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:04
S78	2172	(extended extend extension) with (hando\$4 hand\$1o\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:30
S79	36	S74 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:30
S80	29	S74 and (buffer\$4 with (hando\$4 hand\$1o\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:32
S81	196	smart adj3 base adj3 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:48

S82	111	smart adj2 base adj2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:49
S83	17	smart adj1 base adj1 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:49
S84	1047	(base adj1 station) with initiat\$5 with (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:51
S85	5	(base adj1 station) with deteriorat\$5 with initiat\$5 with (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:51
S86	135	(forced adj3 (hand\$1o\$4 hando\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:56
S87	28	S86 and buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 16:56
S88	0	base with station with initiat\$5 with (hand\$1o\$4 hando\$4) with (deteriorat \$4 threshold) with buffer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:16
S89	7	(base with station with initiat\$5 with (hand\$1o\$4 hando\$4)) same (deteriorat \$4 threshold) same buffer \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:17
S90	25	(base with station with (hand\$1o\$4 hando\$4)) same (deteriorat\$4 threshold) same buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:17

S91	18	S90 not S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:18
S92	12	base with station with initiat\$5 with (hand\$1o\$4 hando\$4) with buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 17:20
S93	1	("2005/0143072").URPN.	USPAT	OR	OFF	2008/09/10 17:21
S94	33	buffer with anchor with base	US-PGPUB; USPAT	OR	OFF	2009/01/12 09:43
S95	41	buffer with anchor with base	US-PGPUB; USPAT	OR	ON	2009/01/12 09:43
S96	7	S95 and handover	US-PGPUB; USPAT	OR	ON	2009/01/12 09:43
S97	46	(anchor with base with buffer\$4)	US-PGPUB; USPAT	OR	ON	2009/01/12 12:54
S98	992	455/437.ccls.	US-PGPUB; USPAT	OR	ON	2009/01/12 12:54
S99	0	S97 and S98	US-PGPUB; USPAT	OR	ON	2009/01/12 12:54
S100	0	S98 and (anchor same buffer\$4 same packet)	US-PGPUB; USPAT	OR	ON	2009/01/12 12:55
S101	21	S98 and (base same buffer \$4 same packet)	US-PGPUB; USPAT	OR	ON	2009/01/12 12:55
S102	23	(anchor with buffer\$4 with packet)	US-PGPUB; USPAT	OR	ON	2009/01/12 12:57
S103	3495	((first original anchor) with buffer\$4 with packet with (second new destination))	US-PGPUB; USPAT	OR	ON	2009/01/12 12:59
S104	2	S98 and S103	US-PGPUB; USPAT	OR	ON	2009/01/12 12:59
S105	4433	((first original anchor) with buffer\$4 with packet) same (packet with (second new destination))	US-PGPUB; USPAT	OR	ON	2009/01/12 13:00
S106	3	S98 and S105	US-PGPUB; USPAT	OR	ON	2009/01/12 13:00
S107	13	(anchor with base with station) and S98	US-PGPUB; USPAT	OR	ON	2009/01/12 13:02
S108	10	(anchor with base with station) same (buffer\$4 with (packet data frame))	US-PGPUB; USPAT	OR	ON	2009/01/12 13:03
S109	0	2002/0181437	US-PGPUB; USPAT	OR	ON	2009/01/12 13:05

S110	1	"20020181437"	US-PGPUB; USPAT	OR	ON	2009/01/12 13:05
S111	529	((first original home anchor) with base with station) same (buffer\$4 with (packet data frame))	US-PGPUB; USPAT	OR	ON	2009/01/12 13:08
S112	8	S111 and S98	US-PGPUB; USPAT	OR	ON	2009/01/12 13:08
S113	912	buffer\$4 near5 packet near5 (order\$4) near5 (receiv\$4 transmit\$4 sent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 11:56
S114	8	buffer\$4 near5 packet near5 (order\$4) near5 (receiv\$4 transmit\$4 sent) near5 (((foreign home) near3 agent) (base near3 station) (access near3 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 11:57
S115	5	buffer\$4 near5 packet near5 (order\$4) near5 (transmit\$4 sent) near5 (((foreign home) near3 agent) (base near3 station) (access near3 point))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 11:59
S116	380	buffer\$4 near5 packet near5 (order\$4) near5 (transmit\$4 sent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 11:59
S117	6	S116 same (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:00
S118	29	S116 and (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:01
S119	6	JP-2005002-\$.DID. OR US-5002208-\$.DID. OR JP-2003324761-\$.DID. OR US-20020181437-\$.DID. OR EP-1253736-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/27 12:05

S120	6	JP-2003324761-\$.DID. OR US-20020181437-\$.DID. OR EP-1253736-\$.DID. OR JP-10210533-\$.DID. OR EP-0851633-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/27 12:06
S121	45477	(transmit\$4 send\$4) with (reception receiv\$4 receipt) with buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:23
S122	2703	(transmit\$4 send\$4) with (reception receiv\$4 receipt) with buffer with order\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:23
S123	17	S122 same (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:24
S124	354	(transmit\$4 send\$4) with (reception receiv\$4 receipt) with buffer with (arrang\$4 storing) with order\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:26
S125	15	S124 and (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:26
S126	2	S124 same (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:26
S127	62	(transmit\$4 send\$4) with (reception receiv\$4 receipt) with buffer with correct with order\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:27
S128	63	(transmit\$4 send\$4) with (reception receiv\$4 receipt) with buffer\$4 with correct with order\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:29

S129	149738	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:29
S130	1	S128 and S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:29
S131	1028	(transmit\$4 send\$4) with buffer\$4 with (order\$4 near4 (reception receiv\$4 receipt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:30
S132	47	S129 and S131	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:31
S133	24	(transmit\$4 send\$4) with buffer\$4 with (order\$4 near4 (reception receiv\$4 receipt)) same (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:33
S134	23	(transmit\$4 send\$4) with buffer\$4 with (correct\$4 near4 (reception receiv\$4 receipt)) same (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:36
S135	6	(transmit\$4 send\$4) with buffer\$4 with (arrang\$4 near4 (reception receiv\$4 receipt)) same (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:37
S136	8	(transmit\$4 send\$4) with buffer\$4 with (sequenc\$4 near4 (reception receiv\$4 receipt)) same (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:38
S137	11	shimizu and (buffer\$4 and packet) with (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:50

S138	4615	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 stor\$4 order\$4) near5 packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:52
S139	38	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 stor\$4 order\$4) near5 packet with (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:53
S140	6	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 sequenc \$4 order\$4) near5 packet with (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:53
S141	1082	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 sequenc \$4 order\$4) near5 packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:54
S142	22	S141 same (hand\$1o\$4 hando\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:55
S143	240	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 sequenc \$4 order\$4) near5 packet with (transmit\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:56
S144	3	(reception receiv\$4 receipt) near4 buffer\$4 near5 (arrang\$4 sequenc \$4 order\$4) near5 packet with (transmit\$4 send\$4 distribut\$4) with (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:56
S145	76	(reception receiv\$4 receipt) near4 buffer\$4 near5 packet with (transmit \$4 send\$4 distribut\$4) with (base near3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 12:57

S146	2	(reception receive\$4 receipt) near\$4 buffer\$4 near\$5 (sequence\$4 order\$4) near\$5 packet with (transmit\$4 send\$4 distributed\$4) with (base near\$3 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 13:00
S147	223	(reception receive\$4 receipt) near\$4 buffer\$4 near\$5 (sequence\$4 order\$4) near\$5 packet with (transmit\$4 send\$4 distributed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 13:01
S148	1	"10590741"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 13:19
S149	1	S148 and (order\$4 with distribution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 13:19
S150	8	US-4926421-\$.DID. OR US-5991287-\$.DID. OR US-111999D-\$.DID. OR US-6216004-\$.DID. OR JP-10004380-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/27 13:53
S151	3	(US-20030224775-\$ or US-20030186724-\$).did. or (US-6611547-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/07/27 14:09
S152	3	S151 and (buffer\$4 with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:10
S153	46	first with second with (base near\$3 station) with (buffer\$4 with packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:56
S154	8	first with second with (base near\$3 station) with (buffer\$4 with packet) with request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:57

S155	105	(base near3 station) with (buffer\$4 with packet) with request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:58
S156	13	(base near3 station) with (buffer\$4 with packet) with request\$4 with (second secondary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/27 14:59

EAST Search History (Interference)

< This search history is empty >

7/ 27/ 2009 4:25:25 PM
**C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10590741 MOBILE
COMMUNI CATION SYSTEM AND MOBI LE COMMUNI CATION METHOD.w sp**